Mydified Form PTO	-1449		Atty. Docket	A-527E	Serial No		1 Of 45.784	
	REFERENCES CITED BY AF	PPLICANT	Applicant	Feige et al				
0 9 ZOOS 8	(Use several sheets if necessary)		Filing Date	August 18, 2003	Group	1639		
4DEMARK OF		U.S. PATEN	T DOCU	MENTS				
EXAMINER'S INITIALS	DOCUMENT NUMBER	DATE		NAME	CLASS	SUB- CLASS	FILING I	
		-						
	•	-	· · · · · · · · · · · · · · · · · · ·			<del> </del>	<del></del>	
				<del></del>			<del>-</del> -	_
								_
1		DREIGN PAT	FNT DO	CUMENTS	<u> </u>	<u> </u>	<u> </u>	-
EVAMINED'S INITIALS	INVIINENT NIINBED	DATE	LIVI DO	CUINTON	CIACC	CIACO	TDANE	
HUTUALS	1111	-				CLASS	<u>YES</u>	Γ
						<del>                                     </del>		H
						-		H
						-	<u> </u>	┝
·								L
				• •		<del> </del>		L
				· · · · · · · · · · · · · · · · · · ·		-		L
EXAMINER'S	OTHER DOCUMEN	ITS (Includin	g Autho	r, Title, Date, Perti	inent Pag	es, Etc.)	) .	
INITIALS	Russel et al, Introducti		***************************************					 ን:
TIM	Oxford University Pres	s; 2004: 1-26	3			· · · · · · · · · · · · · · · · · · ·		_
							-	
			· . ·					_
		<del></del>						
L								_
EXAMINER:	- 0 /			Date Considered:				
l	7 /	Λ			18107			

	ر 19 اه أ	
=	TH	
•	100	

			<u>6 ol 9</u>
Modified Form PTO-1449	Atty. Docke	A-527R	Serial No. 10/645, 784
LIST OF REFERENCES CITED BY APPLICANT	Applica at	Feige et al	
(Use several sheets if necessary)	Filing Date	August 13, 2003	163G

		OTTET DOGGILLATO (Including Author, Title, Date, Ferditent Pages, Etc.)
Tal	W CA	Adey et al. (1996), 'Identification of calmodulin-binding peptide consensus sequences from a phage-displayed random peptide library',  Gene 169:133-134.
	СВ	Adey et al. (1997), 'Isolation of peptides from phage-displayed random peptide libraries that interact with the talin-binding domain of vinculin', Biochem. J. 324:523-528.
	cc	Ahern et al. (1990), 'Special Report: The Peptide-Oligonucleotide Partnership', The Scientist 4 (19):24-25.
	æ	Akeson et al. (1996), 'AF12198, a Novel Low Molecular Weight Antagonist, Selectively Binds the Human Type I Interleukin (IL)-1 Receptor and Blocks in vivo Responses to IL-1', J. Biol. Chem. 271:30517-30523.
,	CE	
F.	CF	Barna et al. (1994), "Combination therapy with a synthetic peptide of C-reactive protein and interleukin 2: augmented survival and eradication of pulmonary metastases," Cancer Immunol. Immunother. 38:38-42.
	α	
	СН	Böttger et al. (1997), 'Molecular Characterization of the hdm2-p53 Interaction', J. Mol. Biol. 269:744-756.
,	Cı	Bonger et al. (1996), 'Identification of novel mdm2 binding peptides by phage display', Oncogene 13:2141-2147.
.,	a	Brocks et al. (1997), "A TNF Receptor Antagoistic scPv, Which is Not Secreted in Martmalian Cells, is Expressed as a Soluble Mono- and Bivalent scPv Derivative in Insect Cells," Immunotechnology 3(3): 173-184.
	СК	Burstein et al. (1988), Thymic Humoral Pactor γ2: Purification and Amino Acid Sequence of an Immunoregulatory Peptide from Calf Thymus', Biochemistry 27:4066-4071.
	CL	Capon et al. (1989). Designing CD4 Immunoadhesins for AIDS Therapy, Nature 337:525-531.
	СМ	Chan and Kim (1998), "HIV Entry and Its Inhibition" Cell 93:681-684.
	CN	Chirinos-Rojas et al. (1998), 'A Peptidomimetic Antagonist of TNF-α-Mediated Cytotoxicity Identified from a Phage-Displayed Random Peptide Library', Journal of Immunology 161:5621-5626.
,	00	Cooper et al. (1987), 'Purification and characterization of a peptide from amyloid-rich pancreases of type 2 diabetic patients', PNAS 84:8628-8632.
	CP	Cortese et al. (1996), 'Selection of biologically active peptides by phage display of random peptide libraries', Current Opinion in Biotechnology 2:616-621.
,	co	Couet et al. (1997), 'Identification of Peptide and Protein Ligands for the Caveolin-scaffolding Domain', The Journal of Biological Chemistry 272 (10):6525-6533.
- 1	CR	Couet et al. (1997), 'Interaction of a Receptor Tyrosine Kinase, EGP-R, with Caveolins', The Journal of Blological Chemistry Yol 272 (48):30429-30438.
	cs	Cuthbertson et al. (1997), 'Design of Low Molecular Weight Hernatoregulatory Agents from the Structure-Activity Relationship of a Dimeric Pentapeptide', J. Med. Chem 40:2876-2882.
١	СТ	Cwirla et al. (1997), 'Peptide Agonist of the Thrombopoietin Receptor', Science 276:1696-1699.
1	CU	Dedman et al. (1993), 'Selection of Targeted Biological Modifiers from a Bacteriophage Library of Random Peptides', The Journal of Biological Chemistry 268 (31):23025-23030.
n,	cv	Devlin et al. (1990), 'Random Peptide Libraries: A Source of Specific Protein Binding Molecules', Science 249:404-406.
V	CW	Duncan et al. (1988), 'Localization of the binding site for the human high-affinity Fc receptor on IgG', Nature 332:563-564.

	Date Considered: 4/15/06 /	18/07
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 60 considered. Include copy of this form with next communication to applicant.	9; Draw line through citation if not in c	onformance and not

2	5
6 of	g

				2010
Modified Form PTO-1449	Atty. Docke	A-527R	Serial No.	10/645 Ref
LIST OF REFERENCES CITED BY APPLICANT	Applica nı	Feige et al		
(Use several sheets if necessary)	Filing Date	August 13, 2003	Group	1639

	`		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
	TW	Ŋ	Dyson et al. (1995), 'Selection of peptide inhibitors of interactions involved in complex protein assemblies: Association of the core and surface antigens of hepatitis B virus', Proc. Natl. Acad. Sci. USA 92:2194-2198.
	<u> </u>	CY	Fahracus et al. (1996), 'Inhibition of pRb phosphorylation and cell-cycle progression by a 20-residue peptide derived from p16CDECT2/INK4A', Current Biology 6:84-91.
L	1	cz	Fairbrother et al. (1998), 'Novel Peptides Selected to Bind Vascular Endothelial Growth Factor Target the Receptor-Binding Site', Biochemistry 37:17754-17764.
	•	CI	Fisher et al. (1996), Treatment of septic shock with the tumor necrosis factor receptor: Rc fusion protein', N. Eng. J. Med. 334(26):1697-1702.
L		C2	Prancis, Gillian E. (1992), 'Protein modification and fusion proteins', Focus on Growth 3:4-11.
		ន	Fukumoto et al. (1998), 'Peptide mimics of the CTLA4-binding domain stimulate T-cell proliferation', Nature Biotechnology, 16:267-270.
	6-	C4	Gan et al. (1988), 'Echistatin', <i>JBC</i> 263:19827-19832.
	þ	CS	Ghetic et al. (1997), 'Increasing the serum persistence of an IgG fragment by random mutagenesis', Nature Biotechnology 15:637-640.
	4	C6	Gibbs et al. (1994), 'Pharmaceutical Research in Molecular Oncology', Cell 79:193-198.
	1	ខ	Gibbs et al. (1994), 'Farnesyltransferase Inhibitors: Ras Research Yields a Potential Cancer Therapeutic', Cell 77:175-178.
	1	C8	Goodson et al. (1994), 'High-affinity urokinase receptor antagonists identified with bacteriophase peptide display', Proc. Natl. Acad. Sci. USA 91:7129-7133.
	r	co	Graf and Kastin (1986), "Delta-Sleep-Inducing Peptide (DSIP): An Update" Peptides 7:1165-1187.
	t .	CIO	Harvill et al. (1995), 'An IgG3-IL2 fusion protein activates complement; binds FcyRI, generates LAK activity and shows enhanced binding to the high affinity IL-2R', Immunotech. 1:95-105.
	•	Cli	Harwig et al. (1994), "Neutrophi Defensins: Purification, Characterization, and Antimicrobial Testing" Methods Enzymology 236:160-172.
	•	Cl2	Herz et al. (1997), 'Molecular Approaches to Receptors as Targets for Drug Discovery", J. of Receptor & Signal Transduction Research 17(5):671-776.
	^	C13	Hong et al. (1995), 'Protein ligands of the human adenovirus type 2 outer capsid identified by biopanning of a phage-displayed peptide library on separate domains of wild-type and mutant penton capsomers', The EMBO Journal 14:4714-4727.
		C14	Hughes, David (1998), Therapeutic antibodies make a comeback, Drug Discovery Today 3(10):439-442.
		CIS	Inagaki-Ohara et al. (1996), Effects of a Nonapeptide Thymic Hormone on Intestinal Intraepithelial Lymphocytes in Mice Following Administration of 5-Fluorouracii <sup>1</sup> , Cellular Immunology 17:30-40.
		C16	Inglot, Anna D. (1997), 'Classification of Cytokines According to the Receptor Code', Archivum Immunologies et Therapine Experimentalis 45:353-357.
		C17	lefferies, D. (1998), 'Selection of Novel Ligands from Phage Display Libraries: An Alternative Approach to Drug and Vaccine Discovery?, Parastiology Today 14(5):202-206.
	\ ·/	CIB	Jefferis et al. (1995), 'Recognition sites on human IgO for Fey receptors: the role of glycosylation", Immunology Letters 44:111-117.
L	V	C19	Jefferis et al. (1990), 'Molecular Definition of Interaction Sites on Human IgG for Fc Receptors (huFcy R)', Molecular Immunology 27(12):1237-1240.

EXAMINER:

Date Considered:

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

(	
2.1	
2 A D	

Modified Form PTO-1449	Atty. Docke A-527R	Serial No. 10/645,780
LIST OF REFERENCES CITED BY APPLICANT	Applica nt Feige et al	
(Use several sheets if necessary)	Filing Date August 13, 2003	Group 1639

-1		C30	Johnson et al. (1998), "Identification of a 13 Amino Acid Peptide Mimetic of Erythropoietin and Description of Amino Acids Critical for
<u>'</u>		ļ	the Mimetic Activity of EMP1," Biochemistry 37(11): 3699-3710.
	·	CSI	Jones et al. (1998), 'Stromal Expression of Jagged 1 Promotes Colony Formation by Fetal Hematopoietic Progenitor Cells', Blood 92(5):1505-1511.
v		C22	Junghans, R.P. (1997), 'Finally! The Brambell Receptor (FcRB)", Immunologic Research 16(1):29-57.
		<b>C23</b>	Kay et al. (1998), 'From peptides to drugs via phage display', DDT 3(8): 370-378.
1		C24	King et al. (1991), 'Modulation of Bone Marrow Stromal Cell Production of Colony Stimulating Activity by the Synthetic Peptide', Exp. Hematol. 19:481.
	r	CZ5	King et al. (1995), 'Hematoregulatory Peptide, SK&P Induced Stromal Cell Production of KC Enhances CFU-GM Growth and Effector Cell Punction', Blood 86(1):309a
	•	C26	Kitamura et al. (1993), 'Adrenomedullia: A Novel Hypotensive Peptide Isolated from Human Pheochromocytoma', BBRC 192:553-560.
	`	C27	Kluczyk et al. (1997), 'Immunomodulatory Activity of Oligopeptides Related to Interleukin 1 Receptor Antagonist Sequence', Archivum Immunologiac et Therapiae Experimentalis 45:427-433.
		CZ8	Koivunen et al. (1999), Turnor targeting with a selective gelatinase inhibitor, Nature Biotech. 17:768-774.
(		C29	Kreeger, Karen Young (1998), 'Immunological Applications Top List of Peptide-Synthesis Services', The Scientist 10(13):19-20.
		C30	Laerum et al. (1988), The Dirner of Hemoregulatory Peptide (HP5B) Stimulates Mouse and Human Myelopoiesis in vitro', Exp. Hemat. 16:274-280.
,		CI	Linse et al. (1997), 'A Region of Vitamin K-dependent Protein S That Binds to C4b Binding Protein (C4BP) Identified Using Bacteriophage Peptide Display Libraries', The Journal of Biological Chemistry 272(23):14658-14665.
		C32	Linsley et al. (1991), 'CTLA-4 is a Second Receptor for the B Cell Activation Antigen B7', J. Exp. Med. 174:561-569.
,		C33	Livnah et al. (1996), 'Punctional Mimicry of a Protein Hormone by a Peptide Agonist: The EPO Receptor Complex at 2.8 A', Science 273:464-471.
a		C34	Loetscher et al. (1993), "Efficacy of a Chimeric TNFR-lgG Fusion Protein to Inhibit TNF Activity in Animal Models of Septic Shock,"  International Congress Series 2: 455-462.
١		C35	Lowman, H.B. (1997), 'Bacteriophage display and discovery of peptide leads for drug development', Annu. Rev. Blophys. Biomol. Struct. 26:401-24.
		C36	Lundergan et al. (1999), "Angiotensin-II increases cytoplasmic calcium, cell number and total DNA for human periodontal ligamental cells in vitro" J. Periodontal Res. 34(4):223-228.
	,	C37	Martens et al. (1995), 'Peptides which bind to E-selectin and block neutrophil adhesion', The Journal of Biological Chemistry
		C38	McGregor, Duncan (1996), 'Selection of proteins and peptides from libraries displayed on filamentous bacteriophage', Molecular Biotechnology 6:155-162.
		C39	Moodic et al. (1994), 'The 3Rs of Llife: Ras, Raf and Growth Regulation', 77G 10(2):44-48.
١		C40	Moonga et al. (1998), "Effects of Peptide Pragments of Protein Kinase C on Isolated Rat Osteoclasts" Experimental Physiology 83:717-725.
	ע	C41	Morikis et al. (1998), 'Solution structure of Compstatin, a potent complement inhibitor', Protein Science 7:619-627.

EXAMINER:	Date Considered:	.1 (	/ /					
	1	4/15/06	1/8/07					
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 60	09; Draw line through	citation if not in o	onformance and not					
considered. Include copy of this form with next communication to applicant.								

1	l
1	١
7	ļ
3	
	٥
A	
4	
3	

			jet of 9
Modified Form PTO-1449	Atty. Docke	A-527E	Serial No. 16/645784
LIST OF REFERENCES CITED BY APPLICANT		Feige et al	
(Use several sheets if necessary)	Filing Date	August 13, 2003	Group 16-3 G

	OTHER DOCUMENTS (including Addition, True, Date, Pertinent Pages, Etc.)
C42	Naranda et al. (June, 1999), "Activation of erythropoietin receptor in the absence of hormone by a peptide that binds to a domain different from the hormone binding site," <i>Proc. Natl. Acad. Sci. USA</i> 96:7569-7574.
C43	Nishi et al. (1996), Tight-binding inhibitory sequences against pp60° identified using a random 15-amino-acid peptide library', FEBS 399:237-240.
C44	Park et al. (2000), "Rationally designed anti-HER2/neu peptide mimetic disables P185 HER2/neu tyrosine kinases in vitro and in vivo" Nature Biotechnology 18:194-198.
C45	Pasquaimi et al. (1996), 'Organ targeting in vivo using phage display peptide libraries', Nature 380:364-366.
C46	Paukovits et al. (1984), 'Structural Investigations on a Peptide Regulating Hemopoiesis in vitro and in vivo', Hoppe-Seylers Z Physiol. Chem 364:303-311.
C47	Pawson et al. (1993), SH2 and SH3 Domains', Current Biology 3(7):434-442.
C48	Pierce et al. (1995), Identification of cyclized calmodulin antagonists from a phage display random peptide library', Molecular Diversity 1:259-265.
C49	Piette et al. (1997), "Mdm2: keeping p53 under control', Oncogene 15:1001-1010.
CS0	Powis, Garth (1991), 'Signalling targets for anticancer drug development", TiPS 12:188-194.
СI	Rickles et al. (1994), Identification of Src, Fyn, Lyn, PI3K and Abl SH3 domain ligands using phage display libraries', The EMBO Journal 13(23):5598-5604.
C52	Rodriguez-Viciana et al. (1994), Phosphatidylinositol-3-OH kinase as a direct target of Ras', Nature 370:527-532.
CS3	Sahu et al. (1996), Inhibition of Human Complement by a C3-Binding Peptide Isolated from a Phage-Displayed Random Peptide Library <sup>1</sup> , The Journal of Immunology 157:884-891.
C54	Sarmay et al. (1992), 'Mapping and Comparison of the Interaction Sites on the Fc Region of IgG Responsible for Triggering Antibody Dependent Cellular Cytotoxicity (ADCC) Through Different Types of Human Fcy Receptor', Molecular Immunology 29(5):633-639.
C35	Scott et al. (1990), Searching for Peptide Ligands with an Epitope Library', Science 249:386-390.
C36	Siemion et al. (1991), The Evidence on the Possible Interleukin-1α Tuftsin Competition', Archivum Immunologiae et Therapiae Experimentalis 39:605-611.
<b>C37</b>	Sparks et al. (1996), 'Distinct ligand preferences of Src homology 3 domains from Src, Yes, Abl, Cortactin, p53bp2, PLCy, Crk, and Grb2', Proc. Natl. Acad. Sci. USA 93:1540-1544.
CSB	Sparks et al. (1994), Identification and Characterization of Src SH3 Ligands from Phage-displayed Random Peptide Libraries', The Journal of Biological Chemistry 269(39):23853-23856.
ලා	Stauffer et al. (1997), 'Inhibition of Lyn Function in Mast Cell Activation by SH3 Domain Binding Peptides', Biochemistry 36:9388-9394.
C60	Suzuki and Yoshino (1992), "The Relationship Between Amino Acid Sequences of Sperm-Activating Peptides and the Taxonomy of Echinoids" Comp. Blochem. Physiol. 102B:679-690.
<b>Œ</b> 1	Takasaki et al. (1997), Structure-based design and characterization of exocyclic peptidomimetics that inhibit TNFa binding to its receptor, Nature Biotechnology 15:1266-1270.
C62	Van Zee et al. (1996), Protection Against Lethal Escherichia coli Bacteremia in Baboons (Papio anubis) by Pretreatment with a 55-kDa TNF Receptor (CD120a)-lg Fusion Protein, Ro 45-2081', J. Immunol. 156:2221-2230.
	C43 C44 C45 C46 C47 C48 C49 C50 C51 C52 C53 C54 C55 C56 C57 C58 C59 C60 C61

EXAMINER: + . D. V	Date Considered: 4/15/06 1/8/07
EXAMINER: Initial if citation considered, whether or not considered. Include copy of this form with next commun	citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not cation to applicant.

			9 01 9
Modified Form PTO-1449	Atty. Docke	A-527E	Serial No. 10/645 784
LIST OF REFERENCES CITED BY APPLICANT	Applica at		
(Use several sheets if necessary)	Fiting Date	August 13, 2003	Group /८३५

		OTTEST DOCUMENTO (Moleculary Address, Feeting Pages, Etc.)
The	<b>C63</b>	Wells et al. (1992), 'Rapid evolution of peptide and protein binding properties in vivo', Current Opinion of Biotechnology 3:355-362.
y.	C64	Whitty et al. (1996), Small molecule cytokine mimetics', Chemistry & Biology 6:R107-R118.
l l	C&S	Wieczorek et al. (1994), The Immunomodulatory Activity of Tetra- and Tripeptides of Tuftsin-Kentsin Group', Peptides 15(2):215-221.
,	C66	Wieczorek et al. (1997), 'A Hexapeptide VTKPYF from C-Terminal Part of Interleukin-1 Receptor Antagonist, an Inhibitor of IL-1 - IL-1 Receptor Interaction', Polish Journal of Pharmacology 49:107-117.
'	C67	Wilson et al. (1998), Phage display: applications, innovations, and issues in phage and host biology', Can. J. Microbiol. 44:313-329.
	C68	Wrighton et al. (1997), Increased potency of an erythropoletin peptide mimetic through covalent dimerization', Nature Biotechnology 15:1261-1265.
1	C69	Wrighton et al. (1996), Small Peptides as Potent Mimetics of the Protein Hormone Erythropoietin', Science 273:458-463.
}	C70	Yanofsky et al. (1996), 'High Affinity type I interleukin I receptor antagonists discovered by screening recombinant peptide libraries', PNAS 93:7381-7386.
	CJ.	Yoshida et al. (1984), The Activity of Synthetic analogs of Serum Thymic Factor (FTS) to Convert Mouse Pre-T Cells into Thy-1 Positive Cells', Int. J. Immunopharmac. 6(2):141-146.
	СT2	Yu et al. (1994), Structural Basis for the Binding of Proline-Rich Peptides to SH3 Domains', Cell 76:933-945.
,	C73	Zheng et al. (1995), 'Administration of Noncytolytic IL-10/Pc in Murine Models of Lipopolysaccharide-Induced Septic Shock and Allogeneic Islet Transplantation', J. Immunol. 154:5590-5600.
,	C74	Ishikawa et al (1998), GD1α-replica peptides functionally mimic GD1α, an adhesion molecule of metastatic tumor cells, and suppress the tumor metastasis', FEBS 441:20-24.
,	C75	Kraft et al. (1999), Definition of an Unexpected Ligand Recognition Motif for Gvβ6 Integrin', Journal of Biological Chemistry 274(4):1979-1985.
· 1	C76	Maurer et al. (1997), 'Autodisplay: One-Component System for Efficient Surface Display and Release of Soluble Recombinant Proteins from escherichia coli', ournal of Bacteriology 179(3):794-80.
·		
	_	
	_	
	_	
	]	

EXAMINER:	Date Considered: // / / / /	
$\tau \cdot D \cdot \sigma_1$	4-115/06 118101	
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 60	09: Draw line through citation if not in conformance and not	-
considered. Include copy of this form with next communication to applicant.	and the same and the same and the same and the	

184 - Se - 1984

Modified Form PTC	)-1449		Atty. Docket	A-527E	Serial No.		1 Of 45.784	
LISE OF	FREFERENCES CITED BY	APPLICANT	Applicant			10/0-	+3.7 Q~	_
0 9 2008 B	(Use several sheets if necessar	(Use several sheets if necessary)		Feige et al August 18, 2003	Group	1639	)	_
1DEMARK OF		U.S. PATEN	NT DOCU	MENTS				_
EXAMINER'S INITIALS	DOCUMENT NUMBER	DATE		NAME	CLASS	SUB- CLASS	FILING D APPROF	
								_
		FOREIGN PAT	ENT DO	<del></del>				_
INITIALS	POPULATINED	DATE		COLINTON	CIACC	CLASS	YES	I ATI
								L
								Ĺ
						T		
						1		$\lceil$
								Γ
		+				<del> </del>	<b> </b>	$\vdash$
		+		<u> </u>		+	<del>                                     </del>	$\vdash$
		<u> </u>			<u> </u>		<u>L</u>	L
EXAMINER'S INITIALS	OTHER DOCUM	ENTS (Includir	ng Autho	r, Title, Date, Perti	nent Pag	es, Etc.	)	
- t.	Russel et al, Introduction Oxford University Pro	ction to phage	biology a	nd phage display.	In A Prac	tical Ap	proach	1;
-	Oxidia Offiversity Fit	ESS, 2004. 1-21	0					_
								_
		<del></del>						_
					**			
EXAMINER:	Fin 1			Date Considered:	.101			_

• •